08/12 '04 08:14 No.371 01/11

HECEIVED CEMBRI FOX DENTRO

OFFICIAL

AUO 1 1 2000)

RheoGene, Inc.

FAX

2650 Eisenhower Avenue Norristown, PA 19403

This Facsimile message is being transmitted from: 610-650-8755

DATE:

August 12, 2004

FORWARD TO:

Technology Center 1600

FAX:

703-872-9306

Art Unit 1646

Examiner Joseph F. Murphy

FROM:

Camille Jolly-Tornetta, Ph.D.

NO. OF PAGES:

11 (including this page)

RE:

Application No.:

09/965,703

Applicant

Palli et al.

Filed

September 26, 2001

Art Unit

1645

Examiner

Joseph F. Murphy

Docket No.

A01020B

Customer No.

37978

CERTIFICATE OF FACSIMILE

I hereby certify that the following correspondence is being facsimile transmitted to the United States Patent and Trademark Office on the date indicated next to my signature below:

Response to Office Action (10 pgs.)

August 12, 2004

Date

Camille Jolly-Tornetta

If all pages are not received, please call: Yanet Diana at 610/650-8734, ext. 100.

This facsimile contains information, which (a) may be LEGALLY PRIVILEGED, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named above. If you are not the Addressee, or the person responsible for delivering this to the Addressee(s), you are hereby notified that reading, copying or distributing this facsimile is prohibited. If you have received this facsimile in error, please telephone us immediately and mail the facsimile back to us at the above address. Thank you.



MECEIVED

CENTER FAX CENTER

AUG 1 1 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

09/965,703

Applicant

Palli et al.

Filed

September 26, 2001

Art Unit

1646

Examiner

Joseph F. Murphy

Docket No. Customer No. A01020B

37978

Mail Stop Patent Application Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response under 37 C.F.R. § 1.111

Dear Sir:

In reply to the Office Action, mailed May 14, 2004, please amend the specification and claims and consider the remarks contained herein for the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to Claims begin on page 3 of this paper.

Remarks begin on page 6 of this paper.